

FIBER OPTIC

DROP CLAMPS

CATALOG #: SI-0966 series, SI-0969 series, SI-0972 series, and SI-0978 series,



MacLean Network Solutions offers a comprehensive line of fiber drop clamps to accommodate a wide variety of fiber cross sectional shapes, fiber types, and fiber span lengths.

Through MacLean's engineering expertise and manufacturing capability, combined with close coordination with fiber optic cable manufacturers, you can rely on MacLean to continue offering the next generation of fiber drop clamp technology.




Scan code or visit
macleannetworksolutions.com
for more information



Strength Holds up to 800 lbs of tensile force
Cable Type Sumitomo PureFit 36
Finish Black

Catalog #	Cable Size	Material	Shim	Standard Pack	Carton Weight (lbs)
SI-0966PS	.600" W x .300" H	Stainless Steel	Removable	200	35
SI-0966SBV	.600" W x .300" H	Stainless Steel	Captive	200	35



Strength 200 lbs capacity
Cable Type Figure 8 cable types with messenger diameter up to .072"
Finish Silver

Catalog #	Cable Size	Material	Insulator	Standard Pack	Carton Weight (lbs)
SI-0969	.061" to .072"	Stainless Steel	No	100	7
SI-0969INS	.061" to .072"	Stainless Steel	Yes	100	7



Strength Holds up to 200 lbs of tensile force
Cable Type Sumitomo elliptical fiber optic cable
Finish Silver

Catalog #	Material	Shim	Standard Pack	Carton Weight (lbs)
SI-0972	Stainless Steel	Removable	100	14



Strength Holds up to 450 lbs of tensile force
Cable Type CommScope Arid-Core flat fiber optic cables
Finish Black

Catalog #	Cable Size	Material	Shim	Standard Pack	Carton Weight (lbs)
SI-0972SBC	.320" W x .200" H	Stainless Steel	Removable	250	23



Strength Holds up to 450 lbs of tensile force
Cable Type Corning SST, Corning ROC, Superior Essex, TE flat drop
Finish Black

Catalog #	Cable Size	Material	Shim	Standard Pack	Carton Weight (lbs)
SI-0972SBL	.320" W x .200" H	Stainless Steel	Removable	250	23
SI-0972SBV	.320" W x .200" H	Stainless Steel	Captive	250	23



Strength 1000 lbs
Cable Type Corning Long Span SST
Finish Black

Catalog #	Cable Size	Material	Shim	Bail	Standard Pack	Carton Weight (lbs)
SI-0978	.480" W x .200" H	Stainless Steel	Removable	Open	50	28



		Flat Drops, .320" W x .200" H			Flat Drops, .600" W x 300" H		
	SI-0972 Catalog Item	SI-0972B(L) Removable Shim	SI-0972SBC Removable Shim	SI-0972BV Captive Shim	SI-0966PS Removable	SI-0966SBV Captive Shim	SI-0978 Long Span
COMMSCOPE®		Real Flex	Arid-Core	Real Flex			
CORNING		SST ROC		SST ROC			SST Long Span
Prysmian Group		ResiLink™ ADF TF		ResiLink™ ADF TF			
		6U 6T W7 W7T		6U 6T W7 W7T			
		Trident		Trident			
	Elipical Fiber				Elipical-Fit 36 Fiber	Elipical-Fit 36 Fiber	

Please see our website at www.macleannetworksolutions.com for a comprehensive offering of attachment hardware



Span Clamp



Drop Wire Hook



House Hook



Drive Hook



Thimble Eye Nut



Guy Hooks



Thimble Eye Bolts

is now known as



MacLean Network Solutions
 610 Pond Drive Wood Dale, IL 60191
 Phone: 800-350-1650
 Email: Sales@macleansenior.com
 Website: www.macleannetworksolutions.



© MacLean Network Solutions All rights reserved.