


1	2	3	4	5
COMPONENT SPECIFICATION	USE OR REPRODUCTION OF THIS DRAWING FOR THE PURPOSE OF MANUFACTURING THIS ARTICLE OR ANY ARTICLES SHOWN FOR ANY PURPOSE IS STRICTLY PROHIBITED WITHOUT WRITTEN PERMISSION FROM SENIOR INDUSTRIES, INC.			



SI-2166
 14-6AWG
 LISTED
 MARKINGS ON THIS SIDE

SPECIFICATIONS:

MECHANICAL:

RANGE: #14-#6 COPPER GROUND WIRE
 TORQUE:
 SET SCREW/GROUND STUD: APPROX. 30 IN-LBS MIN.
 GROUND STUD/BRACKET: APPROX. 60 IN-LBS MIN.
 AGENCY APPROVALS: UL/CUL FILE NO. E137532

MATERIAL:

BRACKETS: STEEL, MECHANICALLY GALVANIZED PER ASTM B 695
 OR 300 SERIES STAINLESS STEEL
 STUD: 300 SERIES STAINLESS STEEL
 SCREW W/HEADER POINT: 18-8 STAINLESS STEEL, PLAIN FINISH
 RIVET: STEEL BRIGHT ZINC PLATED OR
 300 SERIES STAINLESS STEEL

NOTE: X IN PART NUMBER DENOTES MATERIAL OPTION:
 G = GALVANIZED STEEL, S = STAINLESS STEEL



DESIGNED:			SYM.	DATE:	DESCRIPTION OF REVISIONS:	DRAWN:	APPD:	TOLERANCE:	PART NO:	SI-2166LX						
DRAWN:	GAT	06/21/07		06.21.07	NEW	GAT	JF				TO 2 DECIMAL PLACE: ±	TITLE	ADJ METER BOX CLAMP			
CHECKED:	GAT	06/21/07		.	.									TO 3 DECIMAL PLACES: ±	SHEET:	1 OF 1
APPROVED:	JF	06/21/07		.	.											
3RD ANGLE		UNIT:	IN	SCALE:	1:1	REV.	A									